

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 1 and 18 in accordance with the following:

1. (currently amended) An optical amplifier having a polarization mode dispersion compensation function comprising:

a polarization control section that ~~controls~~ is configured to control a polarization plane angle of input signal light to produce variable polarization states;

a polarization mode dispersion generation section that has an optical transmission medium which has birefringence ~~capable of giving~~ set to give a differential group delay between orthogonal polarization mode components of the signal light controlled in said polarization control section, and which is doped with a rare earth element;

a pumping light supply section that ~~applies~~ is configured to apply pumping light capable of pumping said rare earth element, to the optical transmission medium in said polarization mode dispersion generation section;

a monitoring section that ~~monitors~~ is configured to monitor a polarization mode dispersion generation state of the signal light output from said polarization mode dispersion generation section; and

a control section that ~~controls~~ is configured to control said polarization control section so that polarization mode dispersion monitored in said monitoring section, is reduced.

2. (previously presented) An optical amplifier having a polarization mode dispersion compensation function according to claim 1,

wherein said monitoring section monitors the power of signal light output from said polarization mode dispersion generation section, and

said control section controls said pumping light supply section so as to obtain a gain which makes the power of signal light monitored by said monitoring section to be the power at the time of input or above.

3. (previously presented) An optical amplifier having a polarization mode dispersion compensation function according to claim 1,

wherein said monitoring section monitors the power of signal light output from said polarization mode dispersion generation section, and

said control section controls said pumping light supply section so that the power of signal light monitored by said monitoring section is fixed to be constant at a previously set value.

4. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 1,

wherein said polarization mode dispersion generation section uses a polarization-preserving fiber as said optical transmission medium, and a light propagation region centering on a core of said polarization-preserving fiber is doped with a rare earth element.

5. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 1,

wherein said polarization mode dispersion generation section uses an optical waveguide having birefringence which is formed on a substrate, as said optical transmission medium, and at least the optical waveguide on said substrate is doped with a rare earth element.

6. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 5,

wherein said optical waveguide is an optical waveguide made of lithium niobate.

7. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 5,

wherein said optical waveguide is an optical waveguide having variable refraction index, which is formed in a planar lightwave circuit.

8. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 5,

wherein said polarization control section has an optical transmission medium of optical waveguide type doped with a rare earth element, and

said pumping light supply section supplies pumping light to each optical transmission medium of said polarization control section and said polarization mode dispersion generation section.

9. (previously presented) An optical amplifier having a polarization mode dispersion compensation function according to claim 1, wherein said monitoring section comprises:

a branching device which branches a part of the signal light output from said polarization mode dispersion generation section, as monitor light;

an output monitor which monitors a power and the polarization mode dispersion generation state of the monitor light branched by said branching device; and

a pumping light interception device having a property for transmitting the signal light and intercepting the pumping light, which prevents leaked light of the pumping light supplied to said polarization mode dispersion generating section, from being input to said output monitor.

10. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 9,

wherein said pumping light interception device is an optical filter, which transmits the signal light and intercepts the pumping light, arranged on an optical path of a main signal system positioned between said polarization mode dispersion generation section and said branching device, or on an optical path of a monitor system positioned between said branching device and said output monitor.

11. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 9,

wherein said pumping light interception device is an optical isolator in which a loss is greater to the pumping light than to the signal light, arranged on an optical path of a main signal system positioned between said polarization mode dispersion generation section and said branching device.

12. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 1,

wherein an optical filter having a property for transmitting the signal light and intercepting the pumping light and amplified spontaneous emission light generated accompanying amplification of the signal light in said polarization mode dispersion generation section, is provided on an optical path through which the signal light is propagated.

13. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 1,

wherein when said polarization mode dispersion generation section is constructed by cascade connecting a plurality of optical transmission media having birefringence, a rare earth element is doped on at least the optical transmission media disposed on the signal light input side among said plurality of optical transmission media, and

said pumping light supply section supplies forward pumping light to the optical transmission media doped with the rare earth element, of said polarization mode dispersion generation section.

14. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 1,

wherein when said polarization mode dispersion generation section is constructed by cascade connecting a plurality of optical transmission media having birefringence, a rare earth element is doped on at least the optical transmission media disposed on the signal light output side among said plurality of optical transmission media, and

said pumping light supply section supplies backward pumping light to the optical transmission media doped with the rare earth element, of said polarization mode dispersion generation section.

15. (original) An optical amplifier having a polarization mode dispersion compensation function according to claim 1,

wherein when said polarization mode dispersion generation section is constructed by cascade connecting a plurality of optical transmission media having birefringence, a rare earth element is doped on said plurality of optical transmission media, and

said pumping light supply section supplies forward pumping light to the optical transmission media disposed on the signal light input side, and supplies backward pumping light to the optical transmission media disposed on the signal light output side, among the plurality of optical transmission media doped with the rare earth element, of said polarization mode dispersion generation section.

16. (previously presented) An optical amplifier having a polarization mode dispersion compensation function,

wherein the optical amplifier of claim 1 is made of one unit, and a plurality of units are disposed in parallel corresponding to a plurality of signal lights contained in a wavelength group, and common components of said units are integrated.

17. (previously presented) An optical amplifier having a polarization mode dispersion compensation function according to claim 16,

wherein a configuration where common monitoring sections of said units are integrated, is provided with:

an optical switch which selects any one of the signal lights output from the polarization mode dispersion generation sections of the respective units and outputs a part of said signal light, as monitor light; and

an output monitor which is shared by each of said units, and which monitors the polarization mode dispersion generation state and an optical power of the monitor light output from said optical switch.

18. (currently amended) An optical amplifier having a polarization mode dispersion compensation function, comprising:

a polarization control section that ~~controls~~ is configured to control a polarization plane angle of input signal light to produce variable polarization states;

a polarization mode dispersion generation section having an optical transmission medium with a rare earth element;

a pumping light supply section that ~~applies~~ is configured to apply pumping light to the optical transmission medium;

a monitoring section that ~~monitors~~ is configured to monitor a polarization mode dispersion generation state of the signal light output from said polarization mode dispersion generation section; and

a control section that ~~controls~~ is configured to control said polarization control section, so that polarization mode dispersion monitored in said monitoring section, is reduced.

19. (cancelled)